Appl. No. 10/051,881

Amdt. dated February 27, 2004 Reply to Office action of October 3, 2003

Amendments to the Claims:

Claim 1 (currently amended) Roofing material for convertible tops comprising:

- a. outer woven fabric layer formed of at least 25% polymeric coated yarns;
- b. inner fabric layer of non-coated yarns; and
- c. adhesive waterproofing layer <u>bonding connecting</u> said outer layer and said inner layer.

Claim 2 (original) The convertible roofing material according to Claim 1 wherein said coated yarns comprise a core yarn covered by an extruded polymeric sheath.

Claim 3 (original) The convertible roofing material according to Claim 2 wherein said core yarn is selected from the group consisting of polyester, nylon, acrylic, polyester, fiberglass, aramids, olefins, and carbon fibers.

Claim 4 (original) The convertible roofing material according to Claim 2 wherein said core yarn is polyester.

Claim 5 (original) The convertible roofing material according to Claim 3 wherein the denier of said core yarn is between 70 and 1200.

Claim 6 (original) The convertible roofing material according to Claim 3 wherein said polymeric coating is selected from the group consisting of polyvinyl chloride, nylon, olefins, thermoplastic olefin elastomers, urethane, EVA, polyester, ionomer, polyphenylene sulfide, polyethersulfone, fluoropolymer, polyethertone, and liquid crystal polymers.

Claim 7 (original) The convertible roofing material according to Claim 6 wherein said coating is polyvinyl chloride and the core yarn is polyester.

Claim 8 (original) The convertible roofing material according to Claim 7 wherein the denier of said coated yarns ranges from 500-3500.

Appl. No. 10/051,881

Amdt. dated February 27, 2004

Reply to Office action of October 3, 2003

Claim 9 (original) The convertible roofing material according to Claim 3 wherein said outer

fabric layer also includes effect yarns selected from the group consisting of acrylics,

modacrylics, polypropylene, polyethylene, and polyester.

Claim 10 (original) The convertible roofing material according to Claim 9 wherein the coated

yarn content is at least 50%.

Claim 11 (original) The convertible roofing material according to Claim 9 wherein said coated

yarn is introduced in the warp alone.

Claim 12 (original) The convertible roofing material according to Claim 9 wherein said coated

yarn is introduced in the fill alone.

Claim 13 (original) The convertible roofing material according to Claim 9 wherein said coated

yarn is introduced in both the warp and the fill in a pattern alternating with effect yarns.

Claims 14-26 (canceled)

3